

DC-70 with X-Insight Ultrasound System

Transducer Family



SC6-1E

Applications: Gynecology, Obstetrics, Abdomen, Musculoskeletal, Vascular, Urology, Nerve
Bandwidth: 1.3 - 5.7 MHz
ExFOV: 100°
Radius: 60 mm
Needle guide: NGB-022, multi-angle, reusable



6LB7E

Applications: Urology
L: Bandwidth: 2.6 - 12.8 MHz
ExFOV: 65.7°
C: Bandwidth: 2.6 - 12.8 MHz
ExFOV: 65.7°
Needle guide: NGB-009, single-angle, reusable



C5-1E

Applications: Obstetrics, Gynecology, Abdomen, Vascular, Nerve
Bandwidth: 1.3 - 5.7 MHz
ExFOV: 100°
Radius: 60 mm
Needle guide: NGB-022, multi-angle, reusable



CB10-4E

Applications: Urology
Bandwidth: 2.6 - 12.8 MHz
ExFOV: 205°
Radius: 9 mm
Needle guide: NGB-004, single-angle, reusable



C7-3E

Applications: Obstetrics, Gynecology, Adult Abdomen, Pediatric Abdomen, Vascular
Bandwidth: 2.6 - 7.2 MHz
ExFOV: 110°
Radius: 50 mm
Needle guide: NGB-019, multi-angle, reusable



SD8-1E

Applications: Gynecology, Obstetrics, Abdomen
Bandwidth: 2.6 - 8.2 MHz
ExFOV: 106°
Radius: 45 mm
Needle guide: NGB-039, multi-angle, reusable



C11-3E

Applications: Pediatric Abdomen, Neonatal Cranial
Bandwidth: 2.6 - 12.8 MHz
ExFOV: 141°
Radius: 15 mm
Needle guide: NGB-018, multi-angle, reusable



D7-2E

Applications: Gynecology, Obstetrics, Abdomen
Bandwidth: 2.6 - 8.2 MHz
ExFOV: 110°
Radius: 40 mm
Needle guide: NA



V11-3HE

Applications: Gynecology, Obstetrics, Urology
Bandwidth: 2.6 - 12.8 MHz
ExFOV: 210°
Radius: 11 mm
Needle guide: NGB-025, single-angle, reusable



DE11-3E

Applications: Gynecology, Obstetrics
Bandwidth: 2.6 - 12.8 MHz
ExFOV: 190°
Radius: 11 mm
Needle guide: NGB-027, single-angle, reusable

**L12-3E**

Applications: Musculoskeletal, Nerve, Small parts, Vascular, Pediatric Hip, Pediatric Abdomen, Adult Abdomen

Bandwidth: 4.4 - 13.5 MHz

FOV: 38.1 mm

Needle guide: NGB-007, multi-angle, reusable

**L16-4HE**

Applications: Pediatric, Small Parts, Musculoskeletal, Vascular, Nerve

Bandwidth: 5.4 - 13.5 MHz

FOV: 25.2 mm

Needle guide: NA

**L9-3E**

Applications: Abdomen, Pediatric, Small Parts, Musculoskeletal, Vascular, Nerve

Bandwidth: 1.9 - 9.8 MHz

FOV: 43 mm

Needle guide: NGB-034, multi-angle, reusable

**SP5-1E**

Applications: Cardiac, Transcranial, Abdomen

Bandwidth: 1.0 - 5.0 MHz

FOV: 90°

Needle guide: NGB-011, multi-angle, reusable

**L14-5WE**

Applications: Small Parts, Musculoskeletal, Vascular, Nerve, Pediatric, Abdomen

Bandwidth: 4.0 - 12.6 MHz

FOV: 54.4 mm

Needle guide: NGB-035, multi-angle, reusable

**P4-2E**

Applications: Adult Cardiac, Pediatric Cardiac, Transcranial, Adult Abdomen

Bandwidth: 1.3 - 4.6 MHz

FOV: 90°

Needle guide: NGB-011, multi-angle, reusable

**L14-6WE**

Applications: Small parts, Vascular, Musculoskeletal, Nerve, Pediatric Hip

Bandwidth: 4.8 - 16.0 MHz

FOV: 51 mm

Needle guide: NGB-007, multi-angle, reusable

**P7-3E**

Applications: Pediatric Abdomen, Pediatric Cardiac, Neonatal Cranial, Neonatal Abdomen, Neonatal Cardiac, Nerve, Orthopedics

Bandwidth: 2.3 - 7.2 MHz

FOV: 90°

Needle guide: NA

**L14-6NE**

Applications: Small Parts, Vascular, Musculoskeletal, Nerve, Pediatric Hip, Neonatal Cranial

Bandwidth: 5.4 - 16.0 MHz

FOV: 38.1 mm

Needle guide: NGB-007, multi-angle, reusable

**P10-4E**

Applications: Abdomen, Cardiac, Pediatric, Nerve, Neonatal Cranial

Bandwidth: 3.0 - 11.4 MHz

FOV: 90°

Needle guide: NA



P7-3TE

Applications: Cardiac
Bandwidth: 2.3 - 7.2 MHz
FOV: 90°
Needle guide: NA



CW2s

Applications: Cardiac, Transcranial
Needle guide: NA



CW5s

Applications: Vascular
Needle guide: NA

Mindray North America
800 MacArthur Blvd., Mahwah, NJ 07430

Tel: 800.288.2121 Support: 877.913.9663 Fax: 800.926.4275

www.mindray.com

©2022 Mindray DS USA, Inc. Subject to change. Mindray® is a registered trademark of Shenzhen Mindray Bio-Medical Electronics Co. Ltd. 01/22 P/N: 0002-08-40572 Rev A

mindray
NORTH AMERICA